## MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | 0.417 kg per m Shutter outer Side 40 mm X 18 mm, 1.25 mm thick weight of 0.417 kg per m. Shutter in interlock Section 40 mm X 26.7 mm, 1.1 mm thick. weight of 0.469 kg per m the Shutter mounted on nylon roller with approved quality of fixture Such as aluminium tower bolt etc., & providing & fixing 5.5 mm thick plain glass of shutter fitted with rubber beading aluminium Section anodized 12 to 15 microns including Cutting to required length joints mitred Sub dividing the frame limmoneal reavited in the assembled frame stiffend with end clips at corners angles etc. and fixed to walls, lintles, floor beams or sills as the case may be with necessary steel Screws, wood plugs, or teak wood gattles including Cutting masonry or Concrete & making good the original. this Coating should be cleaned & Hom of at machinery Complete as per Specifications (1.10.34.1.00.7.12.1) | | | | | | |

M. A. R. 57 (Rule 116)
Measurement Book
No. B
416156

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | window W (GIF & FF) | 1 X 12 | 1.80 | | 1.20 | 25.92 | $m^2$ |
| | | 1 X 02 | 0.75 | | 0.60 | 0.90 | " |
| | | | | Total Qty | | 26.82 | " |
| | | | | @ TR | | 3771.48 | " |
| | | | | | | | 101151.09/= |
| | Item NO: 23 Providing & fixing in position Collapsible steel shuttering with Single or double leaf with Vertical channel 20 mm X 10 mm X 2 mm braced with flat iron diagonals 20 mm X 5 mm size with top & bottom rails of T iron Section of 40 X 40 X 6 mm with 38 mm dia steel Pulleys Complete with bolts & nuts locking arrangement | | | | | | |

Scanned by CamScanner

MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions: Number | Length | Breadth | Depth | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | Stopping, handled Coat of pad lead paint, Cost of materials, labour, Hire of machinery Complete as per specifications Size of Gate 2.4m x 1.4m (P.No. 31. I.No. 7.1) | | | | | | |
| | window W(01F) | 1 | 1 | 2.50 | 2.70 | 6.75 | m² |
| | | | | Total Qty | | 6.75 | " |
| | | | | @ TR | | 4274.98 | " 28856.12/= |
| | Item No: 24 Providing 18 mm thick Cement plaster in Single Coat with Cement mortar 1:3 to brick masonry including rounding off Corners wherever required Smooth finishing. Providing & removing Scaffolding, including Cost of materials labour, Hire of machinery (P.No. 113. I.No. 15.15) | | | | | | |

Measurement Book No. B

416157

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

| Date | Full description, etc, of work | Dimensions: Number | Length | Breadth | Depth | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | Pre-measurement recorded on Qty vide item Page No. 416141/2 of this mB. | | | | | 506.42 | m² |
| | | | | | @ TR | 284.50 | " 144076.49/= |
| | Item No: 25 providing 12 mm thick cement plaster in Single Coat with Cement mortar 1:3 to filling including rounding off Corners & where required Smooth rendering providing & removing Scaffolding including Cost of all materials complete as per specification (P.No. 114. I.No. 15) | | | | | | |
| | Pre-Measurement recorded on Qty vide Page No. 416142/1 of this mB | | | | | 178.06 | m² |
| | | | | | @ TR | 225.04 | " 40071.62/= |

Scanned by CamScanner

MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions: Number | Length | Breadth | Depth | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | Item No:26 Providing lime rendering for plastering to wall & Ceiling, including Cost of materials, labour, curing complete as per Specifications (P.No.115, item no. 15.33). | | | | | | |
| | Pre-Measurement recorded on 04/09 vide Page No. 416142/1 of this MB. | | | | | 684.48 m² | |
| | | | | | @TR | 29.15 | "19952.72/- |
| | Item No:27 Providing 20mm thick cement plaster in Single Coat with cement mortar 1:3 to stone masonry & Concrete Surface including rounding off corners wherever required Smooth Rendering Providing & removing Scaffolding including cost of materials labours, Curing Complete as per Specifications (P.No.114, I.No.15.18) | | | | | | |
| | Pre-Measurement recorded on 04/09 vide Page No. 416142/2 of this MB | | | | | 412.23 m² | |
| | | | | | @TR | 301.99 | "124489.94/- |

Measurement Book No. B 416158

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

| Date | Full description, etc, of work | Dimensions: Number | Length | Breadth | Depth | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | Item No:28 Providing & laying flooring using prepolished, water Cut / gang Saw 19mm thick granite laid on existing floor in CM 1:4 at 20mm thick (average) & pointed with white / grey pigment etc. Complete (P.No.107 item no. 14.47.1) | | | | | | |
| | GF Hall-1 | 1×1 | 5.10 | 5.10 | | 26.01 | m² |
| | | 2 | 5.10 | | 0.10 | 1.02 | " |
| | | 2 | 5.10 | | 0.10 | 1.02 | " |
| | GF-office-1 | 1×1 | 1.00 | 4.42 | 3.50 | 15.47 | " |
| | | 2 | 4.42 | | 0.10 | 0.88 | " |
| | | 2 | 3.50 | | 0.10 | 0.70 | " |
| | GF-Hall-2 | 1×1 | 5.10 | 5.10 | | 26.01 | " |
| | | 2 | 5.10 | | 0.10 | 1.02 | " |
| | | 2 | 5.10 | | 0.10 | 1.02 | " |

Scanned by CamScanner

## MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | GF office - 2 | 1x1 | 4.42 | 3.50 | | 15.47 | $m^2$ |
| | | 2 | 4.42 | | 0.10 | 0.88 | " |
| | GF Hall - 3 | 2 | 3.50 | | 0.10 | 0.70 | " |
| | | 1x1 | 5.10 | 5.10 | | 26.01 | " |
| | | 2 | 5.10 | | 0.10 | 1.02 | " |
| | GF office - 3 | 2 | 5.10 | | 0.10 | 1.02 | " |
| | | 1x1 | 4.42 | 3.50 | | 15.47 | " |
| | | 2 | 4.42 | | 0.10 | 0.88 | " |
| | Foyer | 2 | 3.50 | | 0.10 | 0.70 | " |
| | FF - Hall - 1 | 1x1 | 23.47 | | 1.50 | 35.21 | " |
| | | | 5.48 | | 2.45 | 13.43 | " |
| | | 1x1 | 5.10 | 5.10 | | 26.01 | " |
| | | 2 | 5.10 | | 0.10 | 1.02 | " |
| | FF - office - 1 | 2 | 5.10 | | 0.10 | 1.02 | " |
| | | 1x1 | 4.42 | 3.50 | | 15.47 | " |
| | | 2 | 4.42 | | 0.10 | 0.88 | " |

M. A. R. 57 (Rule 116)
Measurement Book

No. B 416159

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | | 2 | 3.50 | | 0.10 | 0.70 | $m^2$ |
| | Passage | 1 | | 23.47 | 1.50 | 35.21 | " |
| | Thread | 2 x | 12.00 | 1.20 | 0.30 | 8.64 | " |
| | Riser | 2 x | 12.00 | 1.20 | 0.15 | 4.32 | " |
| | Thread | 2 x 12 | 0.30 | 0.10 | — | 0.72 | " |
| | Riser | 2 x 1 | 0.15 | 0.10 | — | 0.03 | " |
| | Landing | 1 x 1 | 3.00 | 1.50 | — | 4.50 | " |
| | Foyer | 1 x 1 | 23.47 | 1.50 | — | 35.21 | " |
| | | | 5.48 | 2.45 | — | 13.43 | " |
| | | 1 | 6.00 | 0.10 | — | 0.60 | " |
| | | | | | Total Qty | 331.69 | " |
| | | | | | @ TR | 2776.14 | " 920826.21/= |

Scanned by CamScanner

## MEASUREMENT BOOK

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | Item No:29 Providing & laying integral Cement based water Proofing treatment including preparation of Surface as required for treatment of roofs, balconies, terraces, floors Consisting of following applications a) applying & grouting a slurry Coat of neat Cement using 2.75 kg per sqm of Cement admixed with Propriety water Proofing Compound Confirming to IS 2645 over the RCC slab after cleaning the Surface before treatment b) laying Cement concrete using broken brick bats 25 mm to 100mm size with 50% of Cement mortar 1:5 admixed with Proprietary water proofing Compound Confirming to IS 2645 and slabs c) after two days of proper curing applying a second Coat of Cement slurry admixed with Proprietary water proofing Compound d) finishing the Surface with 20mm finish 1:4 | | | | | | |

M. A. R. 57 (Rule 116)
Measurement Book
No. B

416160

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

| Date | Full description, etc, of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| | | Number | Length | Breadth | Depth | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| | Cement mortar of mix 1:4 admixed with Proprietary water proofing Compound wall finally finishing the Surface with trowel and neat Cement slurry & making of 300 x 300 mm Square the whole terrace so finished shall be flooded with water for a minimum Period of two weeks curing & final test including cost of materials complete as per specifications (P.No. 66. T No. 10.3). | | | | | | |
| | | 1 x 1 | 23.47 | 6.71 | | 157.42 $m^2$ | |
| | | | | | @ 7R | 327.54 | 51561.59/= |

Scanned by CamScanner

MEASUREMENT BOOK

| Date | Full description, etc. of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| 1 | 2 | Number 3 | Length 4 | Breadth 5 | Depth 6 | 7 | 8 |
| | Item No: 30 Providing & fixing on wall Surface 4.0 kg / Sqm CM H.D.P.E. rain down water pipes 90mm outer dia approved make & brand with necessary Specials like shoes, bends and off Sets fixed with iron clamps, wall plugs, & screws including Cost of materials, labours, Complete as per Specification (P.No 49, item No. 8.18) | | | | | | |
| | | 1 x 2 | 12.00 | | | 24.00 $m^2$ | |
| | | | | | @ TR | 453.68 " | 10888.32/= |
| | Item No: 31 Providing & fixing white vitreous china clay, water closet Orissa Pattern of size 580 x 465mm with internal trapa footrests, 100mm S/D P trap & approved make cutting and making good the walls & floors wherever required | | | | | | |

M. A. R. 57 (Rule 116)
Measurement Book
No. B

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

416161

| Date | Full description, etc. of work | Dimensions | | | | Contents | Reference to last Measurement |
|---|---|---|---|---|---|---|---|
| 1 | 2 | Number 3 | Length 4 | Breadth 5 | Depth 6 | 7 | 8 |
| | including Cost of materials, labours Complete as per Specifications (P.No. 77, it. no. 12.4) | | | | | | |
| | | 1 x 6 | | | | 6.00 | Part |
| | | | | | @ TR | 2290.66 | |
| | Qty Executed beyond tender qty upto 125% | | | | | 5.00 | 2290.66 | 11453.30/= |
| | Qty Executed over above 125% of sanctioned qty | | | | | 1.00 | 2290.66 | 2290.66/= |
| | Item No: 32 Providing & fixing white vitreous china clay flat back wash basin size 630 x 450mm with a single of 15mm | | | | | | |

Scanned by CamScanner